Understanding juvenile salmon movements and survival in the north Delta

The "Clarksburg Bend" Pilot experiment

J.R. Burau

US Geological Survey

Team

3D tracking – USGS Columbia River Research Lab Survival modeling – Russ Perry, John Skalski (UW) Receiver placement, Surgery – Dave Vogel Hydrodynamics – Jon Burau, Aaron Blake

Acknowledgments

Lots of people: (Fish releases, Flow mapping, 3D tracking, network tracking)

Success depends on:

- (1) a workable plan and
- (2) solid execution

Today's talk will focus: on execution


No results yet: finished field work late last week

We are tying to move to less manpower intensive ways of conducting these studies

Outline

- (1) Study objectives
- (2) Execution
 - (a) Mass-marked recapture (Brandes and Horn)
 - (b) Acoustic tag surgeries (Vogel)
 - (b) Acoustic tag releases (Bagheban and Goyal)
 - (c) 3D tracking in junctions (Blake and Burau)
 - (d) tracking within the network (Vogel and Burau)

Map of where things happened



Timeline

Deploy 3d system at Clarksburg Bend

Deploy active acoustics at Clarksburg Bend

Install listening stations

Implant acoustic tags

Predict release times

Release mass-marked recapture fish (dates)

Release acoustic tag fish (dates) (collect 3d and listening station data, flow network data, secondary circulation data)

Recover everything – done!

Timeline

Deploy 3d system at Clarksburg Bend

Deploy active acoustics at Clarksburg Bend

Install listening stations

Implant acoustic tags

Predict release times


Release mass-marked recapture fish (dates)

Release acoustic tag fish (dates) (collect 3d and listening station data, flow network data, secondary circulation data)

Recover everything – done!

3D Tracking of Acoustically-Tagged salmon in Clarksburg Bend

(~ 9 miles of cable, transducers needed to be placed with 2m accuracy)




Cable recovery









Reaction after 7 miles – 12,320 tie wraps




Levee work made experiment difficult and dangerous




Barges used in levee work are very large (lots of inertia)










Remote 3D units



RTK-GPS Buoy



Timeline

Deploy 3d system at Clarksburg Bend

Deploy active acoustics at Clarksburg Bend

Install listening stations

Implant acoustic tags


Predict release times

Release mass-marked recapture fish (dates)

Release acoustic tag fish (dates) (collect 3d and listening station data, flow network data, secondary circulation data)

Recover everything – done!


Active Transducer Locations



Active Transducer



Passive system Data Acquisition



Timeline

Deploy 3d system at Clarksburg Bend

Deploy active acoustics at Clarksburg Bend

Install listening stations

Implant acoustic tags


Predict release times

Release mass-marked recapture fish (dates)


Release acoustic tag fish (dates) (collect 3d and listening station data, flow network data, secondary circulation data)

Recover everything – done!

Listening station locations



Installation schematic





Lower Georgiana Slough installation



Lower Georgiana Slough installation



Cache Slough installation



Timeline

Deploy 3d system at Clarksburg Bend

Deploy active acoustics at Clarksburg Bend

Install listening stations

Implant acoustic tags


Predict release times

Release mass-marked recapture fish (dates)

Release acoustic tag fish (dates) (collect 3d and listening station data, flow network data, secondary circulation data)

Recover everything – done!

0.65 - Gram Acoustic Transmitter (Tag)



Individually Identifiable Based on Programmed Pulse Width and Repetition Rate

Fish surgeries (Vogel)



In Situ Fish Tag Programmer



Activates Tag After Surgery and Extends Battery Life

Deploy 3d system at Clarksburg Bend

Deploy active acoustics at Clarksburg Bend

Install listening stations

Implant acoustic tags

Predict release times - Logistics!!


Release mass-marked recapture fish (dates)

Release acoustic tag fish (dates)
(collect 3d and listening station data, flow network data, secondary circulation data)

Harmonic Analysis Results used to time releases

Arrows / Times: Indicate Predicted Schedule for Fish release on Sacramento River (assume ~14 hour transit time) Grey Boxes: Indicate estimated dark hours

Colored Boxes: Indicate estimated shift durations at CLARKSBURG BEND....shifts for fish watch / release are listed in text below



NOTE SLIGHT CHANGES TO RELEASE SCHEDULE!!! Scheduled updated 12/11/2006, Cathy Ruhl

Deploy 3d system at Clarksburg Bend

Deploy active acoustics at Clarksburg Bend

Install listening stations

Implant acoustic tags

Predict release times - Logistics!!

Release mass-marked recapture fish (dates??)

Release acoustic tag fish (dates??)
(collect 3d and listening station data, flow network data, secondary circulation data)

Mass-released fish placed in pens



Courtesy of Cadrett

Deploy 3d system at Clarksburg Bend

Deploy active acoustics at Clarksburg Bend

Install listening stations

Implant acoustic tags

Predict release times - Logistics!!

Release mass-marked recapture fish (dates??)

Release acoustic tag fish (dates??)
(collect 3d and listening station data, flow network data, secondary circulation data)







Deploy 3d system at Clarksburg Bend

Deploy active acoustics at Clarksburg Bend

Install listening stations

Implant acoustic tags


Predict release times - Logistics!!

Release mass-marked recapture fish (dates??)

Release acoustic tag fish (dates??)
(collect 3d and listening station data, flow network data, secondary circulation data)

Mapping of secondary currents Fugawi 3 - Clarksburg bend 2006 _IPIX File Edit Settings View Forms Tools Overlays Help TRK ⑩ * Beacon Cursor: 38° 25' 58.70" N 121° 31' 45.78" W 400 % Start Programi 3 **⊡**E:\

Secondary currents (section 3)



Future of Mapping of secondary currents



